



PLC-7000
Chart

LCD

WWW.POTEC.BIZ

Stylish LCD Chart
PLC-7000



Specifications

LCD Type	19 inch(Samsung)	Power supply	AC100-240V, 50/60Hz
LCD Resolution	1280 x 1024	Power consumption	110VA
Charts	37 EA	Dimensions	Body: 457(W) 385(H) 59(D)mm Desk stand: W=236mm(Circular), H=340mm(Fixed)
Chart Type	A,C,D,R	Weights	Main Body:7.8kg Remote Controller: 160g [Battery included]
Slide images	38 EA	Basic accessories	Product Body, Remote Controller, Power Cable, Dust cover, USB Memory, Fuse, Battery, Fixed Wall Mount Bracket
Test Distance	2.5~6 [0.5m increment]	Optional accessories	Functional Wall Mount Bracket[swivel, tilt], Desk stand, Floor stand, Red/Green glasses
Test chart	Landolt Ring, Numerals, Alphabets, Tumbling E, Pictures		
Masking function	Single Letter, Horizontal Line, Vertical Line		
Filter	1 Red/Green Filter		
Visual function	Red/Green Test, Binocular Vision, Astigmatism, Contrast		
Communication channel	RS-232, Remocon(A/B/C/D/E)		


Designs and details can be changed without prior notice its improvements.

POTEC 292-4, Samseong-dong, Dong-gu, Daejeon 300-812, Korea
Tel +82-42-632-3536 Fax +82-42-632-3537 WWW.POTEC.BIZ webmaster@potec.biz

Distributed by



You will experience the upgraded chart optometry from PLC-7000.



Stylish LCD Chart
PLC-7000



*
www.potec.biz
*



Slim & outstanding Design

The slim design helps you install on the wall easily and the outstanding design upgrades the optometry room.

Various and clear charts

It has 37 charts, including the Vision, Astigmatic angle, Binocular vision, Heterophoria, Stereopsis, etc., along with the mask (vertical, horizontal, single). And it can show clearer chart image through the high resolution compared with the normal chart projector.

Slide show function (by USB)

It can save 38 images, such as publicity & optometry information, and you can exchange the saved image with the new image which you want to show.

Adjustment of test distance

According to the space of optometry room, the test distance can be adjusted. The test distance, 2.5m-6m, can be easily adjusted by the remote control and it helps you utilize the optometry room more efficiently.

Convenient functions for the user

It has convenient functions, such as black & white reversion, contrast control, alternation of the location of visual acuity chart, Mirror function, Mask function, red-green filter, Program function



POTEC

CE

Stylish LCD Chart

PLC-7000



POTEC

POTEC

POTEC Co., Ltd.

292-4 300-812

Tel +82-42-632-3536 Fax +82-42-632-3537 webmaster@potec.biz
www.potec.biz